

SPY, BOX, MINIATURE CAMERAS

SCAME30A130H

General Features :



Model NO.	SCAME30A130H
Camera	
Image Sensor	1/3" SONY IMX225
DSP	NVP2431H
Image Resolution	960P/960H
Effective Pixels	1.3MP, 1280x960
TV System	PAL/NTSC
Electronic Shutter Time	Auto: PAL 1/50-1/100, 000Sec; NTSC 1/60-1/100, 000Sec
Sync System	Internal
Usable Illumination	0.01Lux/F1.2
S/N Ratio	≥50dB
Gamma Correction	0.45
Scanning System	PAL: 625 Lines, 50 Field/Sec; NTSC: 525 Lines, 60 Field/Sec
Video Output	Composite Signal (1.0Vp-p, 75Ω)
Lens	

Focus Length	3.7mm Taper Pinhole Lens
Focus Control	Fixed
Lens Type	Fixed
Pixels	2M Pixels
Camera Features	
Day/Night	Color/ B&W
OSD Menu Language	CN, EN, KR, JP, IT, RU, PT, ES, DE, FR
Wide Dynamic Range	DWDR
Backlight Compensation	YES
White Balance	AUTO
Gain Control	AUTO
Noise Reduction	3D NR
Privacy Masking	YES
Digital Zoom	NO
Picture Adjustment	YES

UTC Support	NO
General	
Weatherproof Housing	NO
Anti-cut Bracket	NO, With Bracket
Dual Voltage	NO
IR Cut Filter	NO
Heater	NO
Operation Temperature	-10°C ~ +50°C RH95% Max
Storage Temperature	-20°C ~ +60°C RH95% Max
Power Source	DC12V±10%, 150mA
Dimension	Φ 19 x 46(H) mm
Weight	200g

