



# 8CH 1080P NVR

## SCAS-N0410HAP

### General Features :

8CH FULL 1080P NVR, 1920\*1080, 1CH\*1080P Playback  
HDMI, VGA, RJ-45, 2xUSB, White or Black Casing  
1 SATA 2.5'/3.5' Hard Disk Interface, 1x4TB HDD Capacity  
Remote Viewable by Smart Phone/Computer/Tablet With Internet Access



|                  |   |
|------------------|---|
| <b>Model</b>     | <b>SCAS-N0810A</b>  |
| <b>System</b>    |   |
| Main Processor   | ARM Cortex A9 Processor                                       |
| Operating System | Embedded LINUX  |
| <b>Video</b>     |   |
| Input            | 8 Channel, Support 1920×1080, 1280×960, 1280×720 ect...       |
| Output           | 1 VGA, 1 HDMI   |
| <b>Alarm</b>     |   |
| Sensor Input     | NO  |
| Output           | NO  |
| Motion Detection | 8 Channel   |
| Email Alarm      | Support   |
| <b>Display</b>   |   |
| VGA              | Resolution: 800×600, 1024×768, 1280×720, 1280×1024, 1920×1080 |
| HDMI             | Resolution: 720P(1280×720), 1080P(1920×1080)                  |
| Display Split    | 9 Channel / 8 Channel / 6 Channel / 4 Channel / 1Channel      |
| Digital Zoom     | YES   |

|                              |  |
|------------------------------|--|
| OSD                          | Camera Title, Time, Video Loss, Recording, Motion Detection  |
| <b>Recording</b>             |  |
| Video Compression            | H.264  |
| Resolution                   | 1080P(1920×1080) / 960P(1280×960) / 720P(1280×720) / D1 (704×576/704×480)  |
| Record Rate                  | PAL : 1080P@200fps, 960P@200fps, 720P@200fps, D1@200fps<br>NTSC: 1080P@240fps, 960P@240fps, 720P@240fps, D1@240fps |
| Record Mode                  | Manual\Timer\Motion Detection  |
| <b>Playback &amp; Backup</b> |  |
| Local Sync Playback          | 1x1080P  |
| Remote Sync Playback         | YES  |
| Search Mode                  | ALL, Channel, Manual, Time, Date, Motion Detection   |
| Playback Functions           | Play, Pause, Stop, Rewind, Fast Play, Slow Play, Digital Zoom  |
| Backup Mode                  | USB Device/Network   |
| <b>Network</b>               |  |
| Interface                    | 1 RJ45 10M/100M Adaptive Ethernet Interface  |
| Network Functions            | HTTP, IPv4, TCP/IP, DNS, DHCP, NTP, DDNS   |
| Onvif Version                | Support Onvif 2.4  |

|                         |   |
|-------------------------|---|
| Web Browser             | IE6-11, Firefox, Chrome (Under Windows System)  |
| CMS Software            | Support Windows XP / Windows Vista / Windows 7/ Windows 8   |
| Cloud Support(P2P)      | Yes   |
| Smart Phone             | iPhone, iPad, Android, Android Pad  |
| <b>Hard Disk Driver</b> |   |
| Interface Type          | 1 SATA Interface  |
| Capacity                | Up to 4TB capacity  |
| <b>General</b>          |   |
| Language                | Chinese, English, Polish, Czech, Russian, Thai, Hebrew, Arabic, Bulgarian , Farisa<br>German, French, Portuguese, Turkic, Spanish, Italian, Hungarian, Romanian |
| USB Interface           | 2 USB 2.0 Interfaces  |
| Power Supply            | DC12V/2A  |
| Working Environment     | -10~55°C/10~90%   |
| Dimension(W×D×H)        | 215mm×215mm×53mm  |
| Weight                  | 2.0KG (without HDD)   |