

HD-TVI SPEED DOME

SCTVI-APM7B

General Features :

- 7" HD-TVI Medium Speed Dome Camera
- 18X Optical Zoom, f=5.35mm-96.3mm
- 20x8PCS+ 16x6PCS IR LEDS, IR Range: 120m
- Low Illumination, ICR, 3D NR, IP66,RS485



Model	SCAPM7B18V200
Camera	
Image Sensor	1/2.8" SONY CMOS Sensor 2.4MP

Horizontal Resolution	1080P
S/N Ratio	>58db
PTZ	
Horizontal Rotation Speed	60°/s
Horizontal Rotation Range	360°
Tilt Rotation Speed	45°/s
Tilt Rotation Range	93°
Auto Flip	Horizontal 180°, Vertical 93°
Ratio Speed	Support
360° Scan	User programmable
360° Scan Speed	01-64speed setting available
A-B Scan	User programmable
A-B Scan Speed	01-64speed setting available
PWR on Action	Memory/Tour/360 scan/AB scan/Home/Nop
Park Time	1-60mins setting available
Dwell Preset	1-60s interval available

Preset Points	220
Go to Preset Speed	200°/s
Guard Tours	4 groups
Guard Points	Max.16 points, dwell time user selectable
Auxiliary Interface	
Communication Protocol	Pelco-D, Pelco-P
Communication	RS485
Baud Rate	1200/2400/4800/9600bps
General	
Operating Temperature	Indoor: 0°~ +40° Outdoor: -40°~ +60°
Operating Humidity	≤95% Non Condensing
Heater & Blower	Auto temperature control
Auto Control IR LED	PWM
OSD Menu	English
Power	DC12V/3A
IR Illumination Distance	120M

Power Consumption	≤ 36W
Lightning Protection	Transient voltage 6000V
Dimension	32x32x43(cm)
Weight	7kgs

